

Material Safety Data Sheet

1. MATERIAL & COMPANY IDENTIFICATION

Product Name : SmartCote 72

Manufacturer : S3 Technologies Sdn Bhd

Address : 31-2nd Floor Jalan Sri Hartamas 7, Taman Sri

Hartamas, 50480, Kuala Lumpur Malaysia

Contact : Tel: (60)3 6201 0161 Fax: (60)3 6206 2681

2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Specific target organ toxicity-

single exposure : Category 3 (Respiratory System)

GHS Label Elements





Hazard Pictograms

Signal Word : Danger

Hazard Statement : H315 Causes skin irritation.

: H318 Causes serious eye irritation.

Page 1 of 9

Product Name: SmartHard N

Date of Issue: Jan 2024 (Rev.03)

: H335 May cause respiratory irritation.

Precautionary Statements

: Prevention:

P261 Avoid breathing dust/fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

: Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P301+P340+ P312 IF INHALED: Removed victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor/ physician if you feel unwell.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/ physician.

P332+P313 If skin irritation occurs: Get medical advice/ attention.

: Storage:

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

: Disposal:

P501 Dispose of contents/ container in accordance with national regulations.

Other hazards which do not result in classification.

None Known

Product Name: SmartHard N

3. COMPOSITION / INFORMATION ON INGREDIENTS

OPC : White Portland Cement

Tricalcium silicate

(3CaO.SiO2) and dicalcium silicate (2CaO.SiO2) are Portland cement's constituent, along with varying amount of alumina, tricalcium aluminate and iron oxide as tetracalcium aluminoferrate. Small amounts of magnesia, sodium, potassium, and sulfur are also present. Chromium may be present in the finish cement since kiln's refractory lining and steel balls used in the finish-milling operations are possible sources. Crystalline silica is present in

small of 0 - 0.1%.

CAS Reg. No. : 65997-15-1

OSHA PEL : 10 mg/m³ TDust

ACGIH TLV : 10 mg/m³ TDust

Calcium Carbonate : Limestone powder of graded fine and course

particle sizes.

CAS Reg. No. : 1317-65-3 **OSHA PEL** : 15 mg/m³

ACGIH TLV : 10 mg/m³ crystalline silica

Chemical additives : Mixture of water retentivity agents, e.g. water-

soluble cellulose ether.

CAS Reg. No. : Proprietary mixture (Not Available)

4. FIRST AID MEASURES

General Advice : Move out of dangerous area.

: Consult a physician.

: Show this safety data sheet to the doctor in

attendance.

If Inhaled : Move to fresh air.

: Consult a physician after significant exposure.

In case of skin contact : Remove contaminated shoes and clothing immediately.

Product Name: SmartHard N

: Rinse affected areas with large amounts of water followed by washing the area with soap and water.

: If irritation persists, seek medical assistance.

In case of eye contact

: Immediately flush eyes include under eye lids with copious amounts of water until victim is transported to an emergency medical facility.

: Remove contact lenses.

: Keep eye wide open while rinsing.

Contact the physician immediately! This material is abrasive and can cause corneal edema!

If swallowed

: Clean mouth with water and drink afterwards plenty

of water.

: Do not give milk or alcoholic beverages.

: Never give anything by mouth to an unconscious

person.

: Obtain medical attention.

Most important symptoms

: Irritant effects

and effects, both acute

Cough

and delayed

Respiratory disorder

Excessive lachrymation

Dermatitis

See section 11 for more detailed information on

health effects and symptoms.

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

Notes to physician

: Treat symptomatically.

Product Name: SmartHard N

5. FIRE-FIGHTING MEASURE

Suitable extinguishing media : Use extinguishing media like water spray,

carbon dioxide, chemical foams type, applied

appropriate for the surrounding fire.

Specific Hazards : Non-Combustible material

Specific extinguishing method : Standard procedure for chemical fires.

Special protective equipment

for firefighters : In the event of fire, wear self-contained

breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency

procedures

: Wear protective equipment to prevent skin and

eye contact.

: Provide adequate ventilation.

: Notify safety personnel of large leaks.

Environmental precautions : Do not allow material to enter drain or waterways.

Methods and materials for

containment and cleaning

: Sweep, vacuum or shovel spilled material whilst trying to

minimize dust generation.

: Dispose according to local authority guidelines.

7. HANDLING AND STORAGE

Advice on handling : Wear protective eyeglass or chemical safety goggles, per

OSHA eye and face protection regulations.

: Wear other protective clothing such as gloves, boots, and

aprons to prevent skin contact.

Product Name: SmartHard N

: Wear a NIOSH approved respirator for prolonged

exposure or exposure above the TLV.

: Never eat, drink and smoke in the work area.

: Launder soiled clothing before wearing.

Suitable extinguishing media : Use extinguishing media like water spray carbon

Conditions for safe storage

: Store in a cool, dry, and well-ventilated area in the original packaging.

: Prevent packaging from physical damage.

: Observe label precautions.

: Store in accordance with local regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls : Provide general and local ventilation systems to maintain

airborne concentrations below the OSHA PELS and ACGIH

TLV. Local exhaust ventilation is preferred since it

prevents contaminant dispersion into the work and area

by controlling it at its source.

Personal Protection : When handling or mixing the dry product, avoid inhaling

dust.

: Wear dust mask, safety glasses, chemical resistant apron,

and impervious gloves.

: Precaution should be taken to avoid skin or eye contact

or ingesting the product.

: Always wash hand before eating, drinking or using the

Page 6 of 9

toilet.

: Wash contaminated clothing and other protective

equipment before storage or re-use.

Product Name: SmartHard N

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : White Powder **Odor** : Odorless

Odor Threshold : No data available

pH : 12

Specific Gravity : $2.70 \sim 3.00$

Vapour pressure: No data availableRelative vapour density: No data availableSolubility: Slight (0.1-1.0%)

Viscosity : Not applicable

Flammability : Not applicable

10. STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions

of normal use.

Chemical stability : Stable at normal temperatures when kept dry. When

wet, sets to a hard lump with evolution of small amounts

of heat.

Possibility of hazardous

reactions : No hazards to be specially mentioned.

Conditions to avoid : No data available **Incompatible materials** : No data available

Hazardous decomposition

products : Calcium hydroxide forms when water is added.

Containing Portland cement, it is an alkaline,

abrasive, and hygroscopic material.

11. TOXICOLOGICAL INFORMATION

Ingestion: Ingestion of the powder may cause burns in

esophagus and stomach.

Inhalation : Chronic bronchitis may result from long term exposure.

There are reports of x-ray changes without symptoms in

cement workers exposed to Portland cement.

Product Name: SmartHard N

Eye Contact : May cause corneal edema.

Skin Contact

: Dry cement will not cause alkaline burns. Some individuals appear to tolerate brief skin contact with wet cement, but others develop extensive skin burns. Repeated or prolonged skin exposure can cause dermatitis, including skin dryness, fissures, eczematous rashes, and dystrophy of the nails. Extensive burns with dermal necrosis can occur. Allergic dermatitis may result from the presence of heavy metals such as chromium in the mixture.

12. ECOLOGICAL INFORMATION

Eco-toxicity: No data availablePersistence and degradability: No data availableBioaccumulative potential: No data availableMobility in soil: No data available

Other adverse effects

Product:

This product is not biodegradable. Avoid contaminating waterways.

13. <u>DISPOSAL CONSIDERATIONS</u>

Disposal methods

Waste from residues : Do not contaminate ponds, waterways, or ditches with

chemical or used containers.

: Product should be disposed in accordance with local

regulations and legal requirements.

Contaminated packaging : Empty remaining contents

Page 8 of 9

Product Name: SmartHard N

: Dispose of as unused product.: Do not re-use empty containers.

14. TRANSPORT INFORMATION

No special packaging requirement. Not classified as dangerous goods under the United Nations Transport Recommendations.

15. REGULATORY INFORMATION

Not classified as dangerous under current regulation.

16. OTHER INFORMATION

The information contained in this MSDS is provided for use in assessing the hazardous nature of material. Information was prepared carefully, using current references available to us. Information provided is to be the best of our knowledge and belief, accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself/ herself as to the suitability and completeness of information provided here for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information.

Product Name: SmartHard N